

Power Metal Oxide Film Resistors




The “ROP” resistors combine low price with outstanding performance and are therefore suitable both for professional and general purpose applications. These power metal oxide film resistors can favorably be used as a substitute for general purpose cemented or lacquered wirewound resistors, in medium and high ohmic values ranges.

FEATURES

- 2W and 4W at 25°C
- NF C 83-210
- Good overload performance
- High reliability level
- Small size
- High electrical insulation
- Resistance to cleaning solvents
- Excellent climatic performances
- Great mechanical strength

DIMENSIONS in millimeters



DIMENSIONS	A	Ø B	Ø C	UNIT WEIGHT IN g
ROP2	14.7	4.9	0.8 ± 0.1	1.2
ROP4	25.2	6.9	0.8 ± 0.1	3


TECHNICAL SPECIFICATIONS

VISHAY SFERNICE SERIES	ROP2	ROP4
CCTU 04-06A NF C/UTE 83-210	RCP12	RCP13
Power Rating 25°C	2W	4W
Critical Resistance	out of nominal ohmic range	out of nominal ohmic range
Resistance Value Range and Resistance Tolerance	± 5% E24 1Ω to 56kΩ	4.7Ω to 100kΩ
Maximum Voltage	350V	500V
Maximum Operating Temperature	235°C	+ 235°C




PERFORMANCE			
NF C 83-210 - CECC 40 201		REQUIREMENTS	TYPICAL VALUES AND DRIFTS
TESTS	CONDITIONS	NF C 83-210	
Short Time Overload	10 Pn during 5 s or 40 V/mn	$\leq \pm (1\% + 0.05)$	$\pm 0.2\%$ or 0.05Ω
Thermal Shock	load at Pr followed by cold temp. exposure 15 min. at -55°C	–	$\pm 0.2\%$ or 0.05Ω
Climatic Sequence	10 cycles	$\leq \pm (3\% + 0.1)$	$\pm 0.3\%$ or 0.05Ω
Load Life	cycle 90'/30' 1000 h at Pr at 25°C	$\leq \pm (3\% + 0.1)$	$\pm 1\%$ or 0.05Ω
Damp Heat Humidity (Steady State)	56 days with low load	$\pm (3\% + 0.1)$	$\pm 0.3\%$ or 0.05Ω
Load Life at max. Category Temperature	200°C 21% of Pn	$\pm (3\% + 0.1)$	–
Climatic Sequence	-55°C $+200^{\circ}\text{C}$ severity 1-5 cycles	$\pm 3\%$ or 0.05	$\pm 3\%$ or 0.05Ω

POWER RATING CHART (NF C)



TEMPERATURE RISE



ORDERING INFORMATION

ROP	2		18kΩ	± 5%	
SERIES	STYLE	SPECIAL DESIGN	OHMIC VALUE	TOLERANCE	PACKAGING
		Method N° Optional			Optional

This datasheet has been download from:

www.datasheetcatalog.com

Datasheets for electronics components.